



# *Light Industrial Zone (I-L)*

**PH-06**

## **Community Development Department**

501 N. Anderson, Ellensburg, WA 98926 (509) 962-7239 (Building) (509) 962-7231 (Planning)  
permits@ci.ellensburg.wa.us

### **ECC 15.300.050 (G) Light Industrial Zone (I-L)**

Light Industrial Zone (I-L). The I-L zone is intended to accommodate certain industrial structures and uses having physical and operational characteristics which might adversely affect the economic welfare of adjoining residential and commercial uses. These purposes are accomplished by:

1. Allowing a range of general service and light industrial uses which can be operated in a relatively clean, quiet and safe manner compatible with adjoining industrial uses and without serious effect, danger or hazard to nearby residential uses;
2. Providing for eating and drinking establishments that serve other permitted uses in the zone;
3. Providing for offices as an accessory use, except where owners have purchased development rights from county properties within defined sending areas (subject to the city's adoption of a TDR program);
4. Providing design standards and guidelines that enhance the appearance and function of uses in the zone and their compatibility with surrounding uses;
5. Promoting mixed-use residential as a secondary use in areas identified as industrial residential in the comprehensive plan; and
6. Use of this zone is appropriate for areas designated light industrial or industrial residential in the comprehensive plan.

Table 15.320.040 Form and intensity standards table – Non-residential zones.

Standard	C-N	C-T	C-H	C-C	C-CII	I-L	I-H	P-R
<b>DEVELOPMENT INTENSITY AND CONFIGURATION</b>								
Minimum lot area	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>	None <sup>1</sup>
Density, minimum (ECC 15.320.050)	NA	NA	NA	NA	NA	NA	NA	NA
Density, maximum (ECC 15.320.050)	None	None	None	None	None	NA	NA	NA
Maximum building height [see ECC 15.320.060 for height exceptions]	35 ft	35 ft <sup>2</sup>	35 ft <sup>2</sup>	45 ft	70 feet	35 feet <sup>2,3</sup>	None	None <sup>4</sup>
<b>BUILDING PLACEMENT (see ECC 15.320.070 through 15.320.130)</b>								
Minimum front yard	10 ft <sup>3</sup>	10 ft <sup>3</sup>	10 ft <sup>3</sup>	None <sup>3</sup>	None <sup>4</sup>	10 ft <sup>3</sup>	10 ft	10 ft <sup>5</sup>
Garage front yard setback	22 ft	22 ft	22 ft	22 ft	22 ft	22 ft	22 ft	22 ft
Minimum rear yard (see ECC 15.520.020 for supplemental standards)	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>5</sup>
Minimum side yard (see ECC 15.520.020 for supplemental standards)	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>6</sup>	None <sup>5</sup>

Development conditions:

1. Lot sizes may be variable provided they are sized and shaped sufficient to accommodate permitted uses and conform to applicable design and density standards.
2. The maximum height limit for regional retail project buildings is 50 feet.
3. For exceptions and detailed standards, see ECC Chapter 15.510, Site Orientation Standards.
4. For areas within 100 feet of a residential zone, the maximum building height shall be 35 feet, except where provided for in ECC 15.310.050(B).
5. For P-R zoned sites adjacent to residential zones, setback standards shall be the same as the adjacent residential zone. Where more than one zone borders the applicable site, setback standards shall be the same as the zone closest to the proposed structures. Where a non-

residential zone is closest to the applicable structure, then there are no side or rear setback requirements.

6. Where the subject property borders a residential zone, the minimum side or rear setbacks shall be the same as the adjacent residential zone.
7. See ECC 15.330.030 for FAR bonus provisions.